T. 47 N., R. 92 W., Sixth Principal Meridian, Wyoming, Field Note Links

Plat Accession Number(s)	Year(s) of Survey	
		Township Subdivision Plats
7582	1981	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/t47nr92w_gp428fn.pdf
6688	1955	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/t47nr92w_fn_s33.pdf
6687	1955	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/t47nr92w_fn_s32.pdf
3353	1917	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/t47nr92w_gp043fn.pdf
3353	1917	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/t47nr92w_gp043fn_bnd.pdf
3352	1883	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/t47nr92w_c160fn.pdf
		Township Exterior Plats
4903	1910-11	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/ext2942.pdf
3315	1883	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/retext2059.pdf
3315	1882	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/ext3315.pdf
2368	1883	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/retext1688.pdf
2368	1882	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/ext2368.pdf

7582 — 2074D

ORIGINAL

TOWNSHIP 47 NORTH, RANGE 92 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

METES AND BOUNDS SURVEY OF PARCELS A, B AND C



True Meridian

Mean magnetic declination
14 1/2° E.

LOCATION DIAGRAM

CURVE DATA

PARCEL B, LINE 1–2

Chord Bearing = S.88°56.3'W.
Chord Length = 0.735 Chs.
Radius = 15.226 Chs.
Length of Arc = 0.735 Chs.

PARCEL C, LINE 1–2

Chord Bearing = S.83°38.4'W.
Chord Length = 1.541 Chs.
Radius = 15.226 Chs.
Length of Arc = 1.542 Chs.

A history of surveys is contained in the field notes.

This plat represents the metes-and-bounds survey of Parcels A, B, and C, sec. 30, T. 47 N., R. 92 W., Sixth Principal Meridian, Wyoming.

Survey executed by Daniel T. Mates, Cadastral Surveyor, beginning June 16, 1981, and completed June 17, 1981, pursuant to Special Instructions dated June 4, 1981, for Group No. 428, Wyoming.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Denver, Colorado January 15, 1982

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

Louis A. Gilbert

Acting Chief, Cadastral Survey
Examination and Approval Staff

10 5 0 20
Scale in Chains

W.H.B.

428

Ac. 6688

ORIGINAL

RECEIVED
OCT 24 1956
Bureau of Land Management
Land Office
Cheyenne, Wyoming

TOWNSHIP 47 NORTH, RANGE 92 WEST, OF THE 6th PRINCIPAL MERIDIAN WYOMING

SUPPLEMENTAL SURVEY OF SEC. 33

Survey by John W. Ross, Engineer under authority of Departmental Instructions of

October 24, 1906

Survey Commenced August 7, 1955 Survey Completed October 24, 1955

Scale in Chains

0 5 10 20 30 40

TRAVERSE IN

LOTS 7 & 8 SW 1/4 SEC. 33

POINT	COURSE	DISTANCE
LOT COR.-1	N19°46'E	0.30
1—2	N27°12'E	0.88
2—3	N34°38'E	0.88
3—4	N42°04'E	0.88



U.S. Department of the Interior
Bureau of Reclamation
Washington, D.C. Sept 12, 1956

This plat is strictly conformable to the field notes of the survey which have been examined and approved.

Acting Assistant Commissioner.

U.S. Department of the Interior
Bureau of Land Management
Washington, D.C. Sept. 12, 1956

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this Bureau is hereby accepted.

For the Director.

Cadastral Engineering Staff Officer.

—◇— Denotes corners of previous surveys found in place.

—○— Denotes corners set by John W. Ross, Engineer.

ACCESSION NO. 605-601-471

2074-C

47-92

Ac. 6687

ORIGINAL

RECEIVED
OCT 24 1956
Bureau of Land Management
Land Office
Cheyenne, Wyoming

TOWNSHIP 47 NORTH, RANGE 92 WEST, OF THE 6th PRINCIPAL MERIDIAN WYOMING

SUPPLEMENTAL SURVEY OF SEC. 32

Survey by John W. Ross, Engineer under authority of Departmental Instructions of October 24, 1906

Survey Commenced August 7, 1955 Survey Commpleted October 24, 1955

Scale in Chains

0 5 10 20 30 40

TRAVERSE IN
SE¼SE¼ OF SEC. 32

POINT	COURSE	DISTANCE
LOT COR.-1	N16°22'E	0.17
1—2	N11°12'E	0.78
2—3	N 8°26'E	12.76
3—4	N12°20'E	0.88
4-LOT COR.	N19°46'E	0.58



U.S. Department of the Interior
Bureau of Reclamation
Washington, D.C. Sept. 12, 1956

This plat is strictly conformable to the field notes of the survey which have been examined and approved.

Acting Assistant Commissioner.

U.S. Department of the Interior
Bureau of Land Management
Washington, D.C. Sept 12, 1956

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this Bureau is hereby accepted.

For the Director.

Cadastral Engineering Staff Officer.

—◇— Denotes corners of previous surveys found in place.

—○— Denotes corners set by John W. Ross, Engineer.

ACCESSION NO. 605-601-469

2074-B

47-92

Resurvey Township No. 47 North, Range No. 92 West of the Sixth Principal Meridian Wyoming



The resurvey represented by this plat was made for the purpose of restoring all lost or obliterated corners and relocating and marking out upon the ground the Exterior and Subdivisional lines in accordance with the original survey approved March 1, 1884.

Titles and areas based upon the original approved plat remain undisturbed for position and description.

All segregated tracts shown on the plat of T47N., R93W. approved by the Surveyor General Nov. 26, 1913 a portion or all of which extend east of the east boundary of said Townships and described as being in T47N., R92W are the same tracts as shown hereon under the same tract numbers as being located all or in part in T47N., R92W.

Areas in Acres.	
Public Land	
Indian Reservation	
Indian Allotments	
Mineral Claims	
Water Surface	
Total Area	

0 10 20 40 80

Scale 40 Chains to an inch

Mean Magnetic Declination
Latitude 44° 00' N.
Longitude 107° 49' W.

Surveys Designated.	By Whom Surveyed.	Group No.	Group Date	Amount of Surveys Mls.	Amount of Surveys chs.	Amount of Surveys lks.	When Surveyed. Begun.	When Surveyed. Completed.
Resurvey Subdivisions	Douglas and Lytle	43	Feb. 27, 1917	59	58	56	July 2, 1917	July 27, 1917
Resurvey East Boundary	Alexander Douglas	"	" " "	5	78	74	July 3, 1917	July 11, 1917
Resurvey South Boundary	" "	"	" " "	5	78	60	July 2, 1917	July 23, 1917
Resurvey West Boundary	" "	"	" " "	6	01	67	July 18, 1917	July 27, 1917
Resurvey North Boundary	" "	"	" " "	5	78	84	May 26, 1917	June 29, 1917

Resurvey

The above map of Township No. 47 North Range No. 92 West of the Sixth Principal Meridian Wyoming is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.

U. S. Surveyor General's Office,
Cheyenne Wyoming October 31, 1918

Charles L. Decker
Surveyor General.

A.L.R. AMT

2071-a

Triplicate Plat transmitted to Buffalo Land Office - Aug. 13. 1919.

47 - 92

(26)

3352

33

TOWNSHIP Nº 47 NORTH, RANGE Nº 92 WEST of the 6TH Principal MERIDIAN.



Total number of Acres 23,009.81

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys Mls	Chs	Lks	When Surveyed	Magnetic Declination
S.E.& W. Township lines	J.W. Weisshaar Jr	May 15, 1882	17	79	43	Sept. 17, 18, 20, 1882	20° 2' East
Subdivisions	R. H. Woods	" "	59	75	31	July 23-25, 1883	20° 3' " "
Connections							
W. Amazil. M. W.	" " "	" "	6	00	00	June 27, 1882	

The above Map of Township Nº 47 North Range Nº 92 West of the Sixth Principal Meridian Wyoming Territory is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved

Surveyor Generals Office,
Cheyenne Wyoming
March 1st 1884

Edw. C. Davis
" Sur. Gen'l

A. Gast & Co. St. Louis Mo.

2074

47-92

2942

44 Indexes

4903

RESURVEY

TOWNSHIP EXTERIORS

Scale: 1 inch to 160 Chains



This Plat
of the Resurvey of the
North Boundary of Townships 45, 46, and 47 North, through Range 93 West, the West Boundary of Townships 45, 46, 47 and 48 North, Range 93 West;

Eleventh Auxiliary Meridian West through Townships 45, 46, 47 and 48 North,

Eleventh Standard Parallel North, through Range 93 West

and the Retracement of

Portion of the Twelfth Standard Parallel North, through Rs. 92 and 93 West of the Sixth Principal Meridian, Wyoming, is strictly conformable to the field notes of the resurvey thereof

by

Wilford W. Ulferback U.S. Transitman

under his

Assignment to Group No. 3

dated July 21, 1910,

which have been examined, approved and filed in this office.

U.S. Surveyor General's Office

Cheyenne, Wyoming

November 26, 1913

Charles L. Keeler

U.S. Surveyor General.

Surveys Designated	Amount			When Surveyed
	Mls.	Chs.	Lks.	
Resurvey Standard Lines	30	11	77	August 1, 1910 - August 27, 10
Resurvey Township Lines	42	07	29	August 30, 1910 - May 11, 1911
Retracement Standard Line	4	45	27	August 27, 1910
Connecting Lines	4	22	27	August 27, 1910 - May 11, 1911

(26)
Intersps accession no. 3315

18

EXTERIOR LINES.

Scale 3 miles to 1 inch Magnetic Variation, E.



T. 48N.

T. 47N.

T. 46N.

T. 45N.

R.92W. R.91W. R.90W. R.89W.

Surveys Designated.	By Whom Surveyed.	Date of Contract.	Amount of Surveys			When Surveyed.
			mls.	chs.	lks.	
Exterior lines	F.W. Weisshaar Jr.	May 15th 1882	143	68	33	Oct. 30-Nov. 21, 1882
Connections	" "	" " "		26	15	" " " " "

I hereby certify that the above diagram of the Exterior lines of Tps. 45, 46, 47 & 48 N. Rs 89, 90, 91 & 92 W. of the 6th P.M. Wyo. Ter. is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.
Surveyor General's Office.
Cheyenne Wyoming Feby. 28th 1884
Edw. C. Faurot Surv.r Gen.l

2059

(22) Indexed accession no. 2368

53

11TH AUXILIARY MERIDIAN WEST

in Tps. 45 to 48 N. inclusive betw. Rgs. 92 & 93 W. of the 6th Prin. Mer. W.T.

Magn. Variation East Scale 40 Chs. to 1 Inch



Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys			When Surveyed
			Mls	Chs	Lks	
11th Auxil. Mer. W.	R. H. Woods	May 15, 1882	24	00	00	June 25-28 '82

The above map of the 11th Auxiliary Meridian West in Tps. 45 to 48 N. incl. betw. Rgs. 92 & 93 W. of the 6th Principal Mer., Wyo. Ter., is strictly conformable to the fieldnotes of the survey thereof, on file in this office, which have been examined and approved

Surveyor General's Office
Cheyenne Wyoming
September 8th 1883

Edwd. C. Dawes
Sur. Gen.

1688