T. 48 N., R. 88 W., Sixth Principal Meridian, Wyoming, Field Note Links

Plat Accession Number(s)	Year(s) of Survey	
		Township Subdivision Plats
8720	2015	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/t48nr88w_gp938fn.pdf
7934	1991	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/t48nr88w_gp548fn.pdf
4123	1918	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/t48nr88w_gp047fn.pdf
4123	1918	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/t48nr88w_gp047fn_bnd.pdf
4122	1884	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/t48nr88w_c112fn.pdf
		Township Exterior Plats
4914; 4915	1900-01	https://www.wy.blm.gov/cadastral/countyplats/bighorn/fieldnotes/ext2952_3.pdf
4067	1884	https://www.wy.blm.gov/cadastral/countyplats/washakie/fieldnotes/ext2353.pdf
2369	1883	https://www.wy.blm.gov/cadastral/countyplats/natrona/fieldnotes/retext1689.pdf
2369	1882	https://www.wy.blm.gov/cadastral/countyplats/natrona/fieldnotes/ext2369.pdf

TOWNSHIP 48 NORTH, RANGE 88 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

DEPENDENT RESURVEY

LOCATION DIAGRAM
NOT TO SCALE



A history of surveys is contained in the field notes.

This plat represents the dependent resurvey of portions of Tracts 45 and 46, and a portion of the subdivisional lines, designed to restore the corners in their true original locations according to the best available evidence, T. 48 N., R. 88 W., Sixth Principal Meridian, Wyoming.

Except as indicated hereon, the lotting and areas are as shown on the plat approved October 25, 1920.

Survey executed by James E. Jacob, Cadastral Surveyor, beginning June 9, 2015, and completed June 25, 2015, pursuant to special instructions and assignment instructions dated June 2, 2015, for Group No. 938, Wyoming.

Notes:
- Solid lines not showing bearing and distance were surveyed by Alex Douglas and Eugene D. Adams in 1918.
- NM indicates corner not monumented.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming June 27, 2017

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

Joel T. Ebner
Acting Chief Cadastral Surveyor for Wyoming



Mean Magnetic Declination 10° E.



5 4 3 2 1 0 5 10 15
Scale in Chains

J.E.J.

JTE

OFFICIALLY FILED: August 31, 2017

7934

ORIGINAL

TOWNSHIP 48 NORTH, RANGE 88 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

DEPENDENT RESURVEY AND METES AND BOUNDS SURVEY



A history of surveys is contained in the field notes.

This plat represents the dependent resurvey of portions of Tracts 42 and 43 and a portion of the subdivisional lines designed to restore the corners in their true original locations according to the best available evidence, and the metes and bounds survey of Lot 9, Sec. 20, T. 48 N., R. 88 W., Sixth Principal Meridian, Wyoming.

Except as indicated hereon, the lottings and areas are as shown on the plat approved October 25, 1920, and accepted June 18, 1921.

Survey executed by Lynn A. Forbes, Cadastral Surveyor, beginning July 17, 1991, and completed July 26, 1991, pursuant to Special Instructions dated July 3, 1991, for Group No. 548, Wyoming.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming June 8, 1992

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

John P. Lee

Chief Cadastral Surveyor for Wyoming

W.H.B.

2378 B

OFFICIALLY FILED: July 20, 1992

4123

(4-675a)

Accepted June 18, 1921. ORIGINAL

Resurvey Township No 48 North Range No. 88 West of the Sixth Principal Meridian Wyoming



INDEX TO SEGREGATED TRACTS

Resurv. Tract No.	Description by Original Survey. T.	R.	Sec.	Subdivisions	Entry Kind	Number	Status in Land Office	Entryman
37	48	88	16	All	School Sec.		Grant	Wyoming
38	48	88	9	S½SW¼, W½SE¼	H.E.	29		Ed Carothers
39	48	88	9	SW¼NE¼	Cash	14771	Patented	Ed Carothers
40	48	88	7	SW¼SE¼, SE¼SW¼	T.C.	818	Patented	Alexander E. Pierce
41	48	88	7	Lots 2 and 3, NE¼SW¼	H.E.	1816	Patented	Alexander E. Pierce
42	48	88	20	E½NE¼	T.C.	15	Patented	John H. Padgett
43	48	88	20	N½SE¼, SW¼SE¼	H.E.	81	Patented	John H. Padgett
			29	NW¼NE¼				
44	48	88	18	SE¼NE¼, E½SE¼	T.C.	14	Patented	Oscar W. McNay
45	48	88	28	SW¼SW¼				
			29	S½SE¼, SE¼SW¼	H.E.	3179	Patented	Henry E. Miller
46	48	88	28	SE¼SW¼	S.S. List 2		Approved	Wyoming
47	48	88	31	Lots 3, 4, E½SW¼	S.S.	0238	Pending	Wyoming

All tract segregations shown hereon and all other claims shown to conform to the lines of the resurvey, whether by the original or new legal subdivisions, represent the position and form of said tracts under the original description as referred to the original survey, located as such upon the ground according to the best available evidence of their true position.

TABLE OF CONFLICTS

Area of conflict of Tract 37 with Tract 44 . 120.00 Acres

Area of Tract 37, exclusive of conflict with Tract 44 521.00 Acres

Area of Tract 44, exclusive of conflict with Tract 37 00.00 Acres

Area of conflict of Tract 38 with Tract 40 3.01 Acres

Area of Tract 38, exclusive of conflict with Tract 40 157.39 Acres

Area of Tract 40, exclusive of conflict with Tract 38 76.64 Acres

Area of conflict of Tract 45 with School Section 36, resurvey T. 48 N., R. 89 W. 34.90 Acres

Area of Tract 45, exclusive of conflict with School Section 36, resurvey T. 48 N., R. 89 W. 125.10 Acres

Scale 40 Chains to an inch

Mean Magnetic Declination
Latitude 44° 05' N.
Longitude 107° 21' W.

Surveys Designated	By Whom Surveyed	Group No.	Group Date	Amount of Surveys Mls.	chs.	lks.	When Surveyed Begun	Completed
12th St. Par N. Resurv.	Alex Douglas and Eugene Adams	47	Feb. 18, 1918	4	50	89	Sept. 3, 1918	Sept. 4, 1918
South Bdy. "	" "	"	" " "	4	47	62	June 27, 1918	July 13, 1918
East " "	" "	"	" " "	6	20	19	July 26, 1918	Aug. 21, 1918
West " "	" "	"	" " "	6	19	36	May 23, 1918	Oct. 2, 1918
Subdivisions "	" "	"	" " "	48	08	69	July 25, 1918	Sept. 27, 1918
Segrgated Tracts	" "	"	" " "	19	28	34	Aug. 17, 1918	Sept. 12, 1918
Connections	" "	"	" " "	2	34	39	July 25, 1918	Sept 27, 1918

Resurvey
The above map of Township No. 48 North Range No. 88 West of the Sixth Principal Meridian Wyoming is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved

U. S. Surveyor General's Office.
Cheyenne, Wyoming. October 25, 1920

Charles L. Decker
Surveyor General.

JCS

AMT

2378-A.

48-88

4122

TOWNSHIP Nº 48 NORTH, RANGE Nº 88 WEST of the 6TH Principal MERIDIAN.



All Augmented Rates.

Total number of Acres. 22398.44

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys M. Ch. Lks.	When Surveyed	Magnetic Declination
Township lines					
Subdivisions	Ed. F. Stahle	Sept. 21st 1880	39 15 79	Oct. 24-29, 1884.	19° 43' E.
Connections	" " "	" " "	1 2 73	" " "	
12th Stand. P.N.	" " "	" " "	5 64 38	Oct. 17th 1883	
11th Guide, N.W.	R. H. Woods	May 13th 1882	0 0 0	Jan. 26th 1883	

The above Map of Township No. 48 North Range No. 88 West of the Sixth Principal Meridian Wyoming Territory is strictly conformable to the field notes of the survey thereof on file in this Office which have been examined and approved

Surveyor Generals Office, Cheyenne, Wyoming. Feb. 16th 1885

John A. McGregor
Surv. Gen.l

A. GAST & CO.- ST. LOUIS & N.Y.

2378

Canceled

48-88

44

98-A

1915

RECEIVED S. G. O.
AUG 11 1903
CHEYENNE, WYO.

THIS PLAT
of the Retracement of
The 12th. Standard Parallel North thro' Frac. Range 83 West
the East Boundary of Township 51 North " 89 "
" " " " " 52 " " " "
" " " " " 48 " " 84 "
Frac. " " " " 47 " " 86 "
the North " " " " " " 84 "
Frac. " " " " " " 85 "
" " " " " 49 " " 83 "
" " " " " 50 " " " "
" " " " " 51 " " 84 "

and the Resurvey of
12th. Standard Parallel North thro' Ranges 85 and Frac. 87 West
13th. " " " " " Frac. Range 84 West
the East Boundary of Township 48 North " 88 "
Frac. " " " " 47 " " " "
" " " " " " " " 86 "
the North " " " " " " " "
" " " " " " " " 87 "
Frac. " " " " " " " 85 "
" " " " " 49 " " 88 "
" " " " " 50 " " " "
" " " " " " " " 84 "
SIXTH PRINCIPAL MERIDIAN WYOMING
is strictly conformable to the field notes of the survey thereof which have been examined, approved, and filed in this office.

U.S. Geological Survey
Washington D.C.
MAY 12 1903

Charles Walcott
Director

NOTE
This plat is not intended to show the location or extent of any survey not made in connection with the survey of the boundary line of the Big Horn Forest Reserve.

Table of Mileage
Scale 160 chains to inch.

Surveys Designated	M.	Chs.	Lks.	When Surveyed.
Township Lines	74	39	44	1900 - 1901
Surveyed by W.H. Thorn				



2953

44

98

4914

RECEIVED S. G. O.
AUG 11 1903
CHEYENNE, WYO.

THIRTEENTH STANDARD PARALLEL NORTH

Battle Cr.

T.52N. R.89W.

T.52N. R.88W.

Trapper Cr.

North Fork Medicinelodge Cr.

Middle Fork Medicinelodge Cr.

T.51N. R.89W.

T.51N. R.88W.

Medicinelodge Canyon

ELEVENTH GUIDE MERIDIAN WEST

T.50N. R.88W.

Paintrock Canyon

T.49N. R.88W.

North Fork of Brokenback Cr.

TWELFTH STANDARD PARALLEL NORTH

Brokenback Cr.

T.48N. R.88W.

T.48N. R.87W.

T.48N. R.86W.

Tensleep Cr.

Lee Cr.

Canyon Cr.

North Fork of Powder River

Powder River

T.48N. R.85W.

Dodge Cr.

TENTH AUXILIARY MERIDIAN

T.48N. R.84W.

Middle Fork Crazy Woman Cr.

LAT. 44°04'37"N.
LON. 107°22'08"W.

THIS PLAT
of the
boundary line of that part of the Big Horn Forest Reserve lying between the 12th. and 13th. Standard Parallels North, and South of the 12th. Standard Parallel North, and extending from Fractional Range 83 West to Range 88 West inclusive, 6th. Principal Meridian, Wyoming, is strictly conformable to the field notes of the survey thereof, which have been examined, approved, and filed in this office.

U.S. Geological Survey
Washington D.C.

May 12th, 1903

Charles Walcott

Director

Table of Mileage.
Scale 160 chains to inch.

Miles	Chains	Links
96	79	36

THIRTEENTH STANDARD PARALLEL NORTH

Shell Cr.

T.52N. R.84W.

North Fork Rock Cr.

T.52N. R.83W.

South Fork Rock Cr.

North Fork Sayles Cr.

South Fork Sayles Cr.

T.51N. R.84W.

T.51N. R.83W.

French Cr.

Mashier Cr.

SOUTH BOUNDARY OF FT. MC KINNEY TIMBER RESERVE

Clear Cr.

ditch

T.50N. R.83W.

Kelley Cr

North Fork Crazy Woman Cr.

T.49N. R.83W.

TWELFTH STANDARD PARALLEL NORTH

Muddy Cr.

Poison Cr.

T.48N. R.83W.

LAT. 44°04'40"N.
LON. 106°53'05"W.

2952

Indexes

4067

EXTERIOR LINES.

Scale 3 miles to 1 inch. Magnetic Var. East.



T. 48 N.

T. 47 N.

T. 46 N.

T. 45 N.

R. 88 W. R. 87 W. R. 86 W.

All lines at Augmented Rates.

Surveys Designated.	By Whom Surveyed.	Date of Contract.	Amount of Surveys	When Surveyed.
			No. Ch. Lks.	
Township lines	Ed. F. Stahle	Sep. 21st 1880	101 39 10	July 18-31, 1884
Connections	" " "	" " "	24 10	" " "

I hereby certify that the above diagram of the Exterior lines of Townships 45, 46, 47 & 48 North, Ranges 86, 87 & 88 West of the 6th Principal Meridian Wyoming Territory, is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.

Surveyor General's Office,
Cheyenne Wyoming Feb.y 16th 1885

John A. McDermott
Surr. Genl.

2353

(22)
Indexed 2369

54

11TH GUIDE MERIDIAN WEST.

Along West Boundaries of Townships 40 to 48 North, inclusive, Range 88 West of the 6th Principal Meridian Wyo. Ter.

Magnetic Variation East. Scale 40 Chains to one inch



Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys Miles	Chs	Lks	When Surveyed
11th Guide M.W.	Charles A. Honey	Jan. 12th 1882	54	00	00	April 3d 19 1882
Connections	" "	" "	1	55	40	" " "

I hereby certify that the above diagram of the 11th Guide Meridian West along west Boundaries of Townships 40 to 48 North inclusive, Range 88 West of the 6th Principal Meridian Wyo. Ter. is strictly conformable to the field notes of the survey thereof on file in this Office which have been examined and approved.—

Surveyor General's Office
Cheyenne Wyoming
September 8th 1883

Edw. C. David
Sur. Gen.

1689