FIELD NOTES

GENERAL SURVEYS

VOLUME 7

1901-1902

TABLE OF CONTENTS.

Vol. 7

| Page No. | Sur. No. | Claim | Lode or Placer. | Claimant. |
|---|---|---|---|---|
| 1 | | U. S. Location Monument No 1, Wood River. | | |
| 25 | 150 | Bridal Veil and Enterprise | Lodes. | Swampscott Gold Mining Co. |
| 45 | 152 | Wyoming and Bank Note | Lodes. | Wyo. Devel. and Trans. Co. |
| 63 | 155. | Midget | Lode. | Overland Mining Co. |
| 79 | 157. | Golden Wedge | Lode. | Wyo. Devel. and Trans. Co. |
| 95 | 123. | Verde | Placer. | M. W. Dillon. |
| 123 | 148 | Pickwick and Black Bear | Lodes. | John H. Schnitzel. |
| 149 | 149. | Ross Hannibal, Goethe, Mountain Queen, Last Chance, Humbold, Mountain Queen Fraction, Silver Cliff, Lessing | Lodes. | John H. Schnitzel. |
| 207 | 162. | Sharer | Lode. | J. H. Snyder. |
| 223 | 121. | Gambell | Lode. | Alfred D. Gambell. |
| 245 | 166. | Lady Arnold | Lode. | Orion T. Arnold. |
| 263 | 168. | Victor | Lode. | Haggarty-Jordan Copper Min. Co. |
| 279 | 158. | Liberty and Archipelago | Lodes. | H.J. Stegemann and F. P. Armbruster. |
| 299 | 167 | St. Louis | Lode. | Mrs.L.E.McAuley. |
| 317 | 156. | Elk | Placer. | Albany Placer Mining Co. |
| 365 | 89. | Mono No. 2 | Lode. | John C. Spry. |
| 385 | 175. | Jehosiphat | Lode. | Charles Wright and John Shaw. |

Plat No. 2-84.

385

RECEIVED S. G. O.
FEB 26 1902
CHEYENNE, WYO.

MAR 4 1902

(4—683.)

# Mineral Survey No. 175

Lot No. .....

Cheyenne Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Charles Wright and John Shaw,

KNOWN AS THE

"J E H O S I P H A T" Lode Claim,

Platte Canon Mining District,

Laramie County, Wyoming.

Section 12, Township 27 N., Range 66 W.,

Surveyed under instructions dated February 6th, 1902.

by Edward F. Stahle,
*U. S. Deputy Mineral Surveyor*

Claim located as amended Feby 4. 1902.

Survey commenced February 7th, 1902.

Survey completed February 8th, 1902.

Address of claimants,
Hartville,
Wyoming.

AMENDED LOCATION NOTICE.

KNOW ALL MEN BY THESE PRESENTS: That Chas. Wright and John Shaw, citizens of the United States, over the age of twenty-one years and residing in the County of Laramie, and State of Wyoming, having discovered a vein or lode of quartz, or rock in place, bearing Iron and Copper within the circuit of the claim hereby located, claim by right of said discovery and location, under and in accordance with the Revised Statutes of the United States, Chapter 6, Title 32, and the laws of the State of Wyoming, fifteen hundred feet, linear and horizontal measurement, on the JEHOSIPHAT Lode, along the vein thereof, with all its dips, variations and angles, together with three hundred feet in width on each side of the center of the discovery shaft or discovery workings; and all veins, lodes, ledges, deposits and surface grounds within the lines of said claim; eleven hundred (1100) feet on said lode running N. 88° W. from the center of the discovery shaft, and four hundred (400) feet running S. 88° E. from said center of discovery shaft. Said claim is situated in Platte Canon Mining District, County of Laramie, and State of Wyoming; and is bounded and more particularly described as follows, to-wit:

Beginning at the S. W. cor., from whence the ¼ sec. cor. on W. boundary of Sec. 12, T. 27 N., R. 66 W., bears N. 75° 31' W., 1105.36 ft. dist.; thence S. 88° E., 750 ft., to the S. side center stake; 1500 ft., to the S. E. cor.; thence N. 2° E., 600 ft. to the N. E. cor.; thence N. 88° W., 750 ft. to the N. side center stake; 1500 ft. to the N. W. cor.; thence S. 2° W., 600 ft. to the place of beginning.

This Amended Location Notice is filed to make more definite andexplicit the Location Notice of said Jehosiphat Lode, filed in Book 79, page 443, and the first Amended Location Notice, filed in Book 103, Page 131, in the County Clerks Office, on the 22nd day of April, 1899, and the 22nd day of May 1901, and does not relinquish any rights or waive any claims then acquired, and

that a discovery shaft has been sunk thereon in accordance with Section 18 of Chapter 40, S. L. 1888, as amended by S. L. 1895, Chapter 108.

And we intend to hold and work said claim by the local customs and rules of miners and of said Mining District, and the Mining Statutes of the United States, and of the State of Wyoming.

Chas. Wright

John Shaw.

Dated on the ground this 4th day of February, 1902.

Discovered March 13th, 1899; Recorded .....

Attest: Edward F. Stahle.

38187

State of Wyoming, )
) ss.
County of Laramie. )

THIS INSTRUMENT Was filed for Record on the 5 day of Feby. A. D. 1902, at 2 o'clock p.m., and is duly Recorded in Book 103 on Page 181.

Dallas R. Cowhick,

County Clerk And Ex.Officio
Register of Deeds.

THE STATE OF WYOMING, )
)ss.
County of Laramie. )

I, DALLAS R. COWHICK, County Clerk and ex-officio Register of Deeds in and for said County in the State aforesaid, DO HEREBY CERTIFY that the above and foregoing is a full, true and correct copy of the original amended location certificate, filed for record in my office, February 5th, A. D. 1902, so full and entire as the same appears on the records of said County in my office.

IN TESTIMONY WHEREOF I have hereunto set my hand and affixed the seal of said County at my office in the City of Cheyenne, Wyoming, this 5th day of Febry., A. D. 1902.

(SEAL)

Dallas R. Cowhick,

County Clerk and ex-officio Register
of Deeds of Laramie County, Wyoming.

By Chas. F. Mallin, Deputy.

Survey No. 175.

Feet. Beginning at Cor. No. 1.
Identical with the S. W. cor. of the location.
A lime stone 24 X 13 X 10 ins., set 12 ins. in the ground, chiseled 1-175, with mound of stone, whence The 1/4 sec. cor. on west boundary of Sec. 12, T. 27 N., R. 66 W. of the 6th P. M., bears N. 75° 31' W. 1105.36 ft.
The N. E. Cor. of Modoc Lode, unsurveyed, bears S. 30° 2' E., 412.5 ft.
The N. W. Cor. of Dewey Lode, unsurveyed, bears S. 12° 15' W., 475.15 ft.
Thence S. 88° E.
Descend gradually over south slope.
110.00 To center of Colorado and Wyoming R. R. track, bears N. 60° E. and S. 60° W.
360.00 Bottom of gulch course S. W. and ascend gently.
472.00 To the center of Main Street in the town site of Hartville, bears N. 71° 23' E., and S. 71° 23' W.
572.00 To the N. side of D. McCannell's Barn on south side of Main Street.
592.00 To east side of D. McCannell's Barn.
624.00 To West side of William Sommers General Store.
644.00 To East side of same store.
691.00 Top of small lean-to in rear of Clark's House.
808.00 Wire fence bears N. 70° E. and S. 70° W.
830.00 North East cor. of Briggs House, bears South, 4 ft.
1100.00 Ascend very rocky north slope.
1220.00 Point of spur falls North and along N. slope.
1500.00 To Cor. No. 2.
A dolomite stone 24 x 10 x 9 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-175.
A cottonwood 12 ins. diam. blazed and scribed B.T. 2-175, bears N. 3° 35' E. 96 ft.
A cottonwood 14 ins. diam., blazed and scribed B.T. 2-175, bears N. 47° 15' W. 90 ft.
The W. end center stake of the Keystone Lode, unsurveyed, bears N. 70° 50' E. 178 ft.
Thence N. 2° E.
Descend rocky slope.
105.00 Bottom of Gulch course S. 80 ° W. and asc. gently.
250.00 Road to Sunrise bears N. 60° E. and S. 60° W.
The S. E. cor. of the Bright Star Hotel bears N. 75°

Survey No. 175.

J E H O S I P H A T  L O D E.

Feet. In order to test the solar apparatus by comparing the results of observations on the sun, made during a.m. and p.m. hours, with a true meridian, determined by observations on Polaris, I proceed as follows:

At 4h. p.M., local mean time, I set off 42° 20' N. on the latitude arc; 15° 18' S. on the declination arc, and mark the true meridian thus determined with the solar, by a groove on a stone firmly set in the ground, 300 ft. N. of the transit, which is set over corner No. 1, of this survey.

At 10h 9m by my watch, I observe Polaris at western elongation, in accordance with instructions and mark the line thus determined, by a tack driven in a wooden hub set in the ground 300 ft. N. of my station. February 7th, 1902.

February 8th, 1902, at 7h 30m a.m., I lay off the azimuth of Polaris' 1° 38' to the east, and mark the true meridian, thus determined, by cutting a small groove in the stone set last evening, which is identical with the mark determined by the solar.

At 8h a.m. I set off 42° 20' N., on the latitude arc; 15° 5' S. on the declination arc, and find the true meridian thus determined to be identical with the solar meridian as determined last evening, and the meridian established by Polaris observation.

All courses were deflected from this meridian.

Survey No. 175.

Feet. 15' W. 95 ft.
The S. E. cor. of a cabin bears west, 59 ft.
The S. W. cor. of a cabin bears N. 42° W., 79.8 ft.
382.50 To the center of Main Street in the town site of Hartville, bears N. 71° 23' E., and S. 71° 23' W.
395.00 To the center of top of dug out.
500.00 Top of a small dug out, unoccupied.
600.00 To Cor. No. 3.
A lime stone 24 x 12 x 9 ins., set 12 ins. in the ground with mound of stone, chiseled 3-175.
The S. W. Cor. of Monitor No. 2, Lode, bears N. 9° 52' E., 302 ft. (unsurveyed)

Thence N. 88° W.

Ascend gently.
252.00 Low spur bears N. E. and S. W. and descend.
400.00 Bottom of gulch course S. W., and ascend S. slope.
687.00 Wire fence and telegraph line bears N. 50° E. and S. 50° W.
865.00 To the center of the Colorado and Wyoming R. R. track, bears N. 60° E., and S. 60° W.
1018.00 Wire fence bears N. 60° E. and S. 60° W., and ascend over rocky slope.
1450.00 Top of Ridge bears N. 10° W. and S. 10° E. and desc.
1500.00 To Cor. No. 4.
A lime stone 24 X 12 X 7 ins., set 12 ins. in the ground with mound of stone, chiseled 4-175.
A corner of the location bears N. 87° W. 17 ft.

Thence S. 2° W.

Descend over S. W. slope.
557.50 Wire fence bears N. 80° E. and S. 80° W.
600.00 To Cor. No. 1, the place of beginning.

Variation at all cors; of the Jehosiphat Lode 14° 51' E.

From the point of discovery, this claim extends S. 88° E., 400 ft. and N. 88° W. 1100 ft. along the vein thereof.

Area.

Total area of the Jehosiphat Lode, 20.66 Acres.

Survey No. 175.

Feet. Location.

This claim is on surveyed ground, and is located in the S. 1/2 of N. W. 1/4, and N. 1/2 of S. W. 1/4, of Sec. 12, T. 27 N., R. 66 W. of the 6th P. M.

All corners not otherwise noted are identical with the location corners.

Expenditure of five hundred dollars.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than five hundred dollars, and that said improvements consist of

No. 1 The discovery cut, the center of face of which is on the center line, 400 ft. from the center of line 2-3., 5 ft. wide, 10 ft. face, running S. 40° W. 12 ft. in solid rock. Value $75.

No. 2 A shaft at the end of the discovery cut, 6 I/2 X 4 ft. 27 ft. deep in rock. Value $350.

No. 3 A shaft which bears from Cor. No. 3, S. 53° 52' W. 489.1 ft., 7 X 4 ft., 10 ft. deep in rock. Value $120.

The surface of this claim slopes toward the gulch which enters this claim near the center of line 2-3, and leaves it near the west end of line 1-2.

Nearly two thirds of the buildings and improvements in the town site of Hartville, are embraced within the limits of this claim, there being about forty houses and cabins included therein.

These improvements are owned by different individuals, who occupy them for dwellings and business houses, and are scattered along both sides of the Main Street.

There are also two large springs of water within the limits of this claim, which are located in the gulch running through it, and from which the present supply of water for the townsite is derived.

Survey No. 175.

Instrument.


This survey was made with a Young & Sons Light Mountain Transit No. 7080, with Solar Attachment, and all courses were deflected from the meridian established by me on line 1-4 of this survey.

The distances were measured with a 100 ft. steel tape.

There being no Notary Public or other Official qualified to administer oaths, available at Hartville, and as it was impossible to take the assistants to any place where one could be procured without very great expense, as well as hardship to them, administered the necessary oaths myself as U. S. Deputy Mineral Surveyor.

396

(4-675)




Claim Located March 13th 1899. ~~190~~

Mineral Survey No. 175

L. O. T. No. Cheyenne Land District.

# PLAT

OF THE CLAIM OF

Charles Wright and John Shaw.

KNOWN AS THE

Dehosiphat

IN Platte Canon MINING DISTRICT,
Laramie COUNTY, Wyoming.
Containing an Area of 20.66 Acres.
Scale of 200 Feet to the inch.
Variation 14° 51' E
SURVEYED January 7-8 1902 BY
Edward H. Noble, U.S. Deputy Mineral Surveyor,

The Original Field Notes of the Survey of the Mining Claim of

known as the

from which this plat has been made under my direction, have been examined and approved, and are on file in this Office; and I hereby certify that they furnish such an accurate description of said Mining Claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon said Mining Claim by claimant or grantors, and that said improvements consist of

that the location of said improvements is correctly shown upon this plat, and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

And I further certify that this is a correct plat of said Mining Claim made in conformity with said original field notes of the survey thereof, and the same is hereby approved.

U.S. Surveyor General's Office.

190

U.S. Surveyor General for

(4—685)

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Edward F. Stahle, United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines corners and boundaries described in the foregoing field notes of the survey of the mining claim of Charles Wright and John Shaw, known as the JEHOSIPHAT LODE, and showing the respective capacities in which they acted.

Newell J. Burnham, Chainman.
Sidney E. Bartlett, Chainman.
....., Axman.
Albert Bartlett, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, Newell J. Burnham, Sidney E. Bartlett and Albert Bartlett, do solemnly swear that we assisted Edward F. Stahle, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Charles Wright and John Shaw, known as the JEHOSIPHAT LODE, represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Wyoming.

Newell J Burnham, Chainman.
Sidney E Bartlett, Chainman.
....., Axman.
Albert Bartlett, Flagman.

Subscribed and sworn to by the above-named persons before me this 8th day of February, 1907

Edward F Stahle
U.S. Deputy Mineral Surveyor.

o 6—167

(4—686.)

# FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edward F. Stahle, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Wyoming, dated February 6th, 1902, , I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Charles Wright and John Shaw, , known as the "J E H O S I P H A T" Lode Claim, situate in Platte Canon Mining District, Laramie County, Wyoming, in Section 12, Township No. 27N., Range No. 66 W. of the 6th P. M., and designated as Survey No. 175, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edward F. Stahle,
*U. S. Deputy Mineral Surveyor.*

Subscribed and sworn to by the said Edward F. Stahle, U. S. Deputy Mineral Surveyor, before me this 26th day of February 1902.

Alphem. P. Hannon
U. S. Surveyor General.

o 5—154

(4-687.)

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

## Department of the Interior,

*Office of U. S. Surveyor General,*

Cheyenne, Wyoming,

February 27, 1902.

I, U. S. Surveyor General for Wyoming,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Charles Wright and John Shaw

, known as the

JEHOSIPHAT LODE ,

situate in Platte Canon mining district,

Laramie County, Wyoming ,

in Section 12, Township No. 27 N., Range No. 66 W.

, designated as Survey No. 175

executed by Edward F. Stahle, U. S. Deputy Mineral Surveyor, February 7-8, 1902, , under my instructions dated February 6, 1902, , have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the amended location certificate filed by the applicants for survey is included in the field notes.

Alpheus P. Hanson

*U. S. Surveyor General for* Wyoming.

(4-688.)

# U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Cheyenne, Wyoming,

March 4, 1902.

I, U. S. Surveyor General for Wyoming, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of Charles Wright and John Shaw, known as the JEHOSIPHAT LODE, situate in Platte Canon Mining District, Laramie County, Wyoming, in Section 12, Township No. 27 N, Range No. 66 W., and designated as Survey No. 175, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or their grantors, and that said improvements consist of the discovery cut and two shafts.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Cheyenne, Wyoming, is correct and in conformity with the foregoing Field Notes.

Alpheus P. Hanson,

*United States Surveyor General for* Wyoming.

o 6—168